§ 68.75

equipment as it is fabricated is suitable for the process application for which they will be used.

- (2) Appropriate checks and inspections shall be performed to assure that equipment is installed properly and consistent with design specifications and the manufacturer's instructions.
- (3) The owner or operator shall assure that maintenance materials, spare parts and equipment are suitable for the process application for which they will be used.

§68.75 Management of change.

- (a) The owner or operator shall establish and implement written procedures to manage changes (except for "replacements in kind") to process chemicals, technology, equipment, and procedures; and, changes to stationary sources that affect a covered process.
- (b) The procedures shall assure that the following considerations are addressed prior to any change:
- (1) The technical basis for the proposed change;
- (2) Impact of change on safety and health;
- (3) Modifications to operating procedures;
- (4) Necessary time period for the change; and,
- (5) Authorization requirements for the proposed change.
- (c) Employees involved in operating a process and maintenance and contract employees whose job tasks will be affected by a change in the process shall be informed of, and trained in, the change prior to start-up of the process or affected part of the process.
- (d) If a change covered by this paragraph results in a change in the process safety information required by §68.65 of this part, such information shall be updated accordingly.
- (e) If a change covered by this paragraph results in a change in the operating procedures or practices required by \$68.69, such procedures or practices shall be updated accordingly.

§68.77 Pre-startup review.

(a) The owner or operator shall perform a pre-startup safety review for new stationary sources and for modified stationary sources when the modification is significant enough to re-

quire a change in the process safety information.

- (b) The pre-startup safety review shall confirm that prior to the introduction of regulated substances to a process:
- (1) Construction and equipment is in accordance with design specifications;
- (2) Safety, operating, maintenance, and emergency procedures are in place and are adequate;
- (3) For new stationary sources, a process hazard analysis has been performed and recommendations have been resolved or implemented before startup; and modified stationary sources meet the requirements contained in management of change, §68.75.
- (4) Training of each employee involved in operating a process has been completed.

§68.79 Compliance audits.

- (a) The owner or operator shall certify that they have evaluated compliance with the provisions of this section at least every three years to verify that the procedures and practices developed under the standard are adequate and are being followed.
- (b) The compliance audit shall be conducted by at least one person knowledgeable in the process.
- (c) A report of the findings of the audit shall be developed.
- (d) The owner or operator shall promptly determine and document an appropriate response to each of the findings of the compliance audit, and document that deficiencies have been corrected.
- (e) The owner or operator shall retain the two (2) most recent compliance audit reports.

$\S 68.81$ Incident investigation.

- (a) The owner or operator shall investigate each incident which resulted in, or could reasonably have resulted in a catastrophic release of a regulated substance.
- (b) An incident investigation shall be initiated as promptly as possible, but not later than 48 hours following the incident.
- (c) An incident investigation team shall be established and consist of at least one person knowledgeable in the